



Corn Discount Schedule

Effective: October 12th, 2017

Corn

Test Weight:	\$.03 per pound under 54 down to 52 \$.05 per pound under 52 down to 50 \$.10 per pound under 50 Under 48 subject to rejection
Moisture: Shrink Drying	1.5% per point over 14.5% \$.05 from 15.1-15.5. \$.025 per 1/2 point above 15.5% Over 27% moisture subject to rejection
Damage:	\$.01 each 1% above 5% up to 7% \$.02 each 1% above 7%, max 25% Over 25% subject to rejection
Foreign Material:	\$.05 from 3.1% to 4% \$.05 each additional 1% over 4%
Heat Damage:	\$.03 from .3 to .5% \$.03 each 1/2 above .5% to 4.0% Over 4.0% subject to rejection
Other:	Subject to rejection or \$.10 Musty \$.10 Sour \$.10 Weevils \$.10 Heating \$.10 Cofo
Corn Checkoff:	1 cent per net bushel

*** All information above subject to change without notice

** Additional factors may apply per market conditions at time of delivery

MCG Argyle, MN
Corn Drying and Shrink Schedule
Shrink Table

Moisture	Shrink
% of gross	
14.6	0.15
14.7	0.30
14.8	0.45
14.9	0.60
15.0	0.75
15.1	0.90
15.2	1.05
15.3	1.20
15.4	1.35
15.5	1.50
15.6	1.65
15.7	1.80
15.8	1.95
15.9	2.10
16.0	2.25
16.1	2.40
16.2	2.55
16.3	2.70
16.4	2.85
16.5	3.00
16.6	3.15
16.7	3.30
16.8	3.45
16.9	3.60
17.0	3.75
17.1	3.90
17.2	4.05
17.3	4.20
17.4	4.35
17.5	4.50
17.6	4.65
17.7	4.80
17.8	4.95
17.9	5.10
18.0	5.25
18.1	5.40
18.2	5.55
18.3	5.70
18.4	5.85
18.5	6.00
18.6	6.15
18.7	6.30
18.8	6.45
18.9	6.60
19.0	6.75
19.1	6.90
19.2	7.05
19.3	7.20
19.4	7.35
19.5	7.50

Moisture	Shrink
% of gross	
19.6	7.65
19.7	7.80
19.8	7.95
19.9	8.10
20.0	8.25
20.1	8.40
20.2	8.55
20.3	8.70
20.4	8.85
20.5	9.00
20.6	9.15
20.7	9.30
20.8	9.45
20.9	9.60
21.0	9.75
21.1	9.90
21.2	10.05
21.3	10.20
21.4	10.35
21.5	10.50
21.6	10.65
21.7	10.80
21.8	10.95
21.9	11.10
22.0	11.25
22.1	11.40
22.2	11.55
22.3	11.70
22.4	11.85
22.5	12.00
22.6	12.15
22.7	12.30
22.8	12.45
22.9	12.60
23.0	12.75
23.1	12.90
23.2	13.05
23.3	13.20
23.4	13.35
23.5	13.50
23.6	13.65
23.7	13.80
23.8	13.95
23.9	14.10
24.0	14.25
24.1	14.40
24.2	14.55
24.3	14.70
24.4	14.85
24.5	15.00

Moisture	Shrink
% of gross	
24.6	15.15
24.7	15.30
24.8	15.45
24.9	15.60
25.0	15.75
25.1	15.90
25.2	16.05
25.3	16.20
25.4	16.35
25.5	16.50
25.6	16.65
25.7	16.80
25.8	16.95
25.9	17.10
26.0	17.25
26.1	17.40
26.2	17.55
26.3	17.70
26.4	17.85
26.5	18.00
26.6	18.15
26.7	18.30
26.8	18.45
26.9	18.60
27.0	18.75
27.1	18.90
27.2	19.05
27.3	19.20
27.4	19.35
27.5	19.50
27.6	19.65
27.7	19.80
27.8	19.95
27.9	20.10
28.0	20.25
28.1	20.40
28.2	20.55
28.3	20.70
28.4	20.85
28.5	21.00
28.6	21.15
28.7	21.30
28.8	21.45
28.9	21.60
29.0	21.75
29.1	21.90
29.2	22.05
29.3	22.20
29.4	22.35
29.5	22.50

Drying Table

Moisture	Drying
\$ per bu	
15.1-15.5	0.050
15.6-16.0	0.075
16.1-16.5	0.100
16.6-17.0	0.125
17.1-17.5	0.150
17.6-18.0	0.175
18.1-18.5	0.200
18.6-19.0	0.225
19.1-19.5	0.250
19.6-20.0	0.275
20.1-20.5	0.300
20.6-21.0	0.325
21.1-21.5	0.350
21.6-22.0	0.375
22.1-22.5	0.400
22.6-23.0	0.425
23.1-23.5	0.450
23.6-24.0	0.475
24.1-24.5	0.500
24.6-25.0	0.525
25.1-25.5	0.550
25.6-26.0	0.575
26.1-26.5	0.600
26.6-27.0	0.625
27.1-27.5	0.650
27.6-28.0	0.675
28.1-28.5	0.700
28.6-29.0	0.725
29.1-29.5	0.750
29.6-30.0	0.775

Test Weight Table	
	Discount
TW	\$ per bu
53.9-53.0	-0.03
52.9-52.0	-0.06
51.9-51.0	-0.11
50.9-50.0	-0.16
49.9-49.0	-0.26
48.9-48.0	-0.36
47.9-47.0	-0.46
46.9-46.0	-0.56
45.9-45.0	-0.66
44.9-44.0	-0.76
43.9-43.0	-0.86
42.9-42.0	-0.96
41.9-41.0	-1.06
40.9-40.0	-1.16